

# DECORATION CLOCKS

## *Classic line*

ϕ 30 and ϕ 40 cm



**Type 620**  
Colour: brass



**Type 621**  
Colour: brass



**Type 622**  
Colour: brass

## *Elegance line*

ϕ 25 and ϕ 30 cm



**Type 601**  
Colour: black



**Type 602**  
Colour: white



**Type 603**  
Colour: lilac



**Type 604**  
Colour: turquoise

## ALU LINE

*The especially light clock*



**Type 120 AL blue-30-9**  
Case and dial from aluminium  
Case blue anodised



**Type 120 AL nature-30-8**  
Case and dial from aluminium  
Case nature anodised



**Type 120 AL red-30-6**  
Case and dial from aluminium  
Case red anodised

*Design in perfection!*

# DECORATION CLOCKS

## Movements


- 10** - 24 V pol.\* (minute-impulse-movement)
- 11** - 24 V pol.\* forward moving second/forward moving minute
- 12** - 24 V pol.\* forward moving second/forward moving minute, **especially noiseless**
- 13** - 24 V pol.\* creep second 230 V/forward moving minute
- 14** - 24 V pol.\* forward moving second/forward moving minute
  
- 20** - 24 V SR 2\* (self-regulating 2 wires)
- 21** - 24 V SR 3\* (self-regulating 3 wires)
  
- 30** - Radio-controlled battery
- 32** - Radio-controlled 230 V
  
- 40** - Quartz-battery-movement
  
- 50** - Synchronous movement with seconds 230 V

\* If 12, 48 or 60 V is required – please mention on your order.  
If you do not mention anything we shall deliver 24 V pol. (10).

## Mounting



**on the plaster**  
Type 601-621  
and 120  
apart from 622



**flat lying on the wall**  
Type 620-622

Dial	∅ 250 mm	∅ 300 mm	∅ 400 mm
Type 601 DA	280	340	-
Type 602 DA	280	340	-
Type 603 DA	280	340	-
Type 604 DA	280	340	-
Type 621 DA	280	340	-
Type 622 DA	-	300	400
Type 120 AL B DA	-	300	400
Type 120 AL N DA	-	340	-
Type 120 AL R DA	-	340	-

Example how to order:

630 | 30 | 10

— Movement-see back page  
— diameter  
— clock type

*Design in perfection!*

# DECORATION CLOCKS

High-grade steel stroke polished  
High-grade steel sample rolled

Noble line

*Special clocks for reception rooms and representative offices*



**Type 700**



**Type 701**



**Type 702**



**Type 703**



**Type 704,**



Typ 705

**Type 705**



**Type 706**


*Design in perfection!*

## Movements


- 10** - 24 V pol.\* (minute-impulse-movement)
- 11** - 24 V pol.\* forward moving second/forward moving minute
- 12** - 24 V pol.\* forward moving second/forward moving minute, **especially noiseless**
- 13** - 24 V pol.\* creep second 230 V/forward moving minute
- 14** - 24 V pol.\* forward moving second/forward moving minute
  
- 20** - 24 V SR 2\* (self-regulating 2 wires)
- 21** - 24 V SR 3\* (self-regulating 3 wires)
  
- 30** - Radio-controlled battery
- 32** - Radio-controlled 230 V
  
- 40** - Quartz-battery-movement
  
- 50** - Synchronous movement with seconds 230 V

\* If 12, 48 or 60 V is required – please mention on your order.  
If you do not mention anything we shall deliver 24 V pol. (10).

## Mounting




**On the plaster**  
Type 601-621  
and 120  
apart from 622



**flat lying on the wall**  
Type 620-622

Type	a	b	c	d
Type 700 DA				
Type 701 DA				
Type 702 DA				
Type 703 DA				
Type 704 DA				
Type 705 DA				
Type 706 DA				



- a = High-grade steel stroke polished with black background
- b = High-grade steel stroke polished with blue background
- c = High-grade steel sample rolled and polished with black background
- d = High-grade steel sample rolled and polished with blue background
- at request special colours
- at request laser inscription or laser engraving (company logo, name etc.)

*Design in perfection!*